

# Exclusive Range *of Plywood*



**PREMIUM  
PLATINUM PRO**




web : [www.vrindamica.com](http://www.vrindamica.com)



*Inside Beautification With*

**NATURAL SPARSH**




*Inside Beautification With*

**NATURAL SPARSH**



## Premium Laminates



unlock the many features of a stylish surface range, that allows you to revel in a safe, hygienic and stylish aura!




# About us

Welcome to Vrindamica Laminates, where innovation meets elegance. with a commitment to quality and a passion for design, Vrindamica offers a wide range of laminates that redefine spaces with style and durability. From timeless classics to contemporary trends, our diverse collection caters to every taste and application, whether it's for residential, commercial, or institutional projects. Backed by cutting-edge technology and years of expertise, vrindamica laminate is your trusted partner in transforming interiors into stunning masterpieces. explore our catalog and discover the perfect blend of functionality & aesthetics for your next project.

## Exclusive & Premium Range



**VRINDA-ONE**  
EXCLUSIVE LAMINATE



**ATULYA BHARAT**  
PREMIUM LAMINATE



**URBANO**  
(Laminated ply)



**Natural Sparsh**  
(Inside Beauty)



**Platinum Pro**  
Ply



# STONE

S T O N E



MT - 1772



MT - 1771



SF - 1772



SF - 1771




HG - 1771




HG - 1772

S T O N E






HG - 1788



HG - 1718



HG - 4737



HG - 4735



WOODEN HIGH GLOSS


SOLID COLOR

JUBILANT SHADES




*Lively Touch*

Revitalise your surroundings with the beauty of shades.



50x130mm

SF - 1701



50x130mm

SF- 1703




SF - 3711




50x130mm

SF - 3713



45x45mm

MT-1701



45x45mm

MT - 1703



MT - 3711



45x45mm

MT - 3713



SF - 1782




SF - 1779



MT - 1782



MT - 1779



SF - 1765




SF- 2740



SF - 1778



SF - 1781



MT-1765



MT - 2740



MT - 1778



MT - 1781



SF - 1767



SF- 1784



SF - 6741



SF - 1783



MT-1767



MT - 1784



MT - 6741



MT - 1783



SF - 1768



MT-1768



SF - 1780



MT - 1780




SF - 2739



MT - 2739

WOODEN (SUEDE FINISH)



SF - 1788



MT - 1788



SF - 1777



MT - 1777



SF - 1789



MT - 1789

# WOODEN (SUEDE FINISH)



MT - 1773



SF- 1773



SF - 1787



MT - 1787




SF - 1775



MT - 1775

WOODEN (SUEDE FINISH)



SF - 1774




MT - 1774



SF - 1776



MT - 1776




SF - 4737




MT - 4737

# WOODEN (SUEDE FINISH)




SF - 1715



SF- 1714



SF - 2704



SF - 2705




MT-1715



MT - 1714



MT - 2704



MT - 2705

# SOLID HIGH GLOSS



FEEL THE  
*extravagance*

These premium & prominent choice of colors will add joy within your spaces, giving it a chic look.

# TECHNICAL SPECIFICATION

**Size:** 1220mmx2440mm

**Finishes:** Suede, Matt, Glossy & Variable Texture.

**Backside finish:** Uniform sanding gives guarantee for easy pasting.

**Durability:** the best technology provides high durability to our laminates. Our laminates are mended for life time.

**Flexibility:** A speciality formulated phenol formaldehyde and melamine for formaldehyde resins with a special kind of plasticizer is used for better flexibility.

**Note:** Sample pasted here in represent only colour and finish, may not actual thickness. Please keep laminates away from direct sunlight. Bonding of laminate under high humidity, plywood with high moisture content, ply with uneven surface, inferior quality adhesive and insufficient pressure may lead to delamination/air bubbles in between ply and laminates.

the product must be inspected prior to installation and our liability will be limited to the extent of the cost of the product only.

**Care and maintenance:** Wipe clean with ordinary soap or household liquid detergent. For stubborn stains, use diluted organic solvent or stain remover. Abrasive cleaners and wire brushes are not recommended.

PROPERTIES	Specified values as per IS: 2043-1993 type S, VGS	CONFIRMS
Resistance to surface wear	350 (Revolution)	>350 (Revolution)
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%) - Appearance	10.0% (maximum) 11.8% (maximum) not worse than 4	5.0% Max. 6.5% Max.
Resistance to dry heat 180° C	Not worse than 4	
Dimensional Stability at deviated temperature - Longitudinal (%) - Transverse (%)	0.55% (maximum) 1.025% (maximum)	0.5% Max. 0.87% Max.
Resistance to dry heat 20° C - Longitudinal (%) - Transverse (%)	0.375% (maximum) 0.60% (maximum)	0.295% Max. 0.45% Max.
Resistance to impact by small diameter ball	20 N (minimum)	25 N (minimum)
Resistance to cracking	Not worse than 4	
Resistance to scratching	2.0 N (minimum)	2.75 N (minimum)
Resistance to staining	Not worse than 5	
Resistance to color change (wool standard) - in xenon arc light - in enclosed carbon arc light	Not worse than 5 Not worse than 5	
Resistance to cigarette burns	Not worse than 3	